




Башенный кран UPTER 6016-10т



**UPTER**

UPTER 6016-10T секция L46A1





L46A1		
Hmax=183m		
P	63t	63t
A	7m	11m
R1	22.2t	23.1t
R2	19.7t	21.1t
	50t	
L	2.45m	
W	2.38m	
X	2.17m	
X1	1.22m	
Y	1.8m	

Размеры внутренней подъемной рамы



Размеры проёма внутренней подъемной рамы





Стрела 60m	Вылет (m)	3~13.84		20	25	30	35	40	45	50	55	60
	Масса груза (t)	a4	10	6.5	4.97	3.97	3.25	2.72	2.31	1.99	1.72	1.5
		a2	5			4.07	3.35	2.82	2.41	2.09	1.82	1.6

Стрела 55m	Вылет (m)	3~14.73		20	25	30	35	40	45	50	55
	Масса груза (t)	a4	10	7.01	5.37	4.3	3.54	2.97	2.53	2.18	1.9
		a2	5			4.4	3.64	3.07	2.63	2.28	2

Стрела 50m	Вылет (m)	3~15.25		20	25	30	35	40	45	50
	Масса груза (t)	a4	10	7.3	5.61	4.49	3.7	3.12	2.66	2.3
		a2	5			4.59	3.8	3.22	2.76	2.4

Стрела 45m	Вылет (m)	3~15.61		20	25	30	35	40	45
	Масса груза (t)	a4	10	7.51	5.77	4.63	3.82	3.22	2.75
		a2	5			4.73	3.92	3.32	2.85

Стрела 40m	Вылет (m)	3~15.91		20	25	30	35	40
	Масса груза (t)	a4	10	7.68	5.9	4.74	3.91	3.3
		a2	5			4.84	4.01	3.4

Стрела 35m	Вылет (m)	3~16.49		25	30	35
	Масса груза (t)	a4	10	6.17	4.96	4.1
		a2	5			4.2

Стрела 30m	Вылет (m)	3~16.61		25	30
	Масса груза (t)	a4	10	6.22	5
		a2	5		

■ ПРОТИВОВЕС

Вылет	Контрстрела	Кол-во 2.77t	Кол-во 2.1t	Кол-во 1.35t	Сумма (t)
60m	13.8m	5	2	1	19.4
55m		5	2	0	18.05
50m		5	1	1	17.3
45m		5	1	0	15.95
40m		5	0	1	15.2
35m		5	0	0	13.85
30m		3	1	1	11.76



■ МЕХАНИЗМЫ


	Запасовка	Скорость (m/min)	Нагрузка (t)	Барабан	Мощность (kW)
Подъём	a=2	0~90	2.5	500m	45
		0~45	5		
	a=4	0~45	5		
		0~22.5	10		
Тележка	0~60 m/min				5.5
Поворот (RCV95)	0~0.6 r/min				2×5.5
Перемещение	0~24m/min				2×5.2
Электропитание	380V/50Hz	Общая мощность (без учёта телескопирования)			61.6kW

■ ТРАНСПОРТИРОВКА

Name	External Dimensions	L (m)	B (m)	H (m)	(t)	Qty	Name	External Dimensions	L (m)	B (m)	H (m)	(t)	Qty
Контрстрела		7.2	1.5	0.6	1.3	1	Концевая секция стрелы		0.5	1.3	1.1	0.1	1
Корневая секция стрелы		11.9	1.26	2.2	4.9	1	Тележка		2.0	1.9	1.5	0.3	1
Стрела 2		5.4	1.1	1.9	1.4	1	Крюк		1.1	0.4	1.6	0.3	1
Стрела 3		10.3	1.1	1.9	2.0	1	Механизм подъёма		1.2	1.55	1.0	1.6	1
Стрела 4		11.3	1.1	1.6	1.4	1	Механизм передвижения тележки		1.4	0.55	0.65	0.25	1
Стрела 5		5.3	1.1	1.6	0.6	1	Кабинная секция башни		2.0	1.2	2.2	0.8	1
Стрела 6		5.2	1.1	1.6	0.5	1	Поворотная платформа		2.3	2.3	2.6	4.2	1
Стрела 7		5.2	1.1	1.6	0.4	1	Кабина и электрический шкаф управления		3.5	2.3	2.3	1.6	1
Стрела 8		5.2	1.1	1.6	0.3	1	Телескопическая клеть		7.3	2.2	2.4	3.8	1
Стрела 9		5.2	1.1	1.6	0.3	1	Секция башни L46A1		3.3	1.7	0.5	1.2	12
Стрела 10		5.1	1.1	1.5	0.2	1	Опорная секция башни		7.8	1.7	1.7	3.0	1
							Крепёжные уголки		0.6	0.6	1.2	0.2	4

UPTER 6016-10Т секция L68B2





Стрела 60m	Вылет (m)	3~13.84	20	25	30	35	40	45	50	55	60	
	Масса груза (t)	a4	10	6.5	4.97	3.97	3.25	2.72	2.31	1.99	1.72	1.5
		a2	5			4.07	3.35	2.82	2.41	2.09	1.82	1.6

Стрела 55m	Вылет (m)	3~14.73	20	25	30	35	40	45	50	55	
	Масса груза (t)	a4	10	7.01	5.37	4.3	3.54	2.97	2.53	2.18	1.9
		a2	5			4.4	3.64	3.07	2.63	2.28	2

Стрела 50m	Вылет (m)	3~15.25	20	25	30	35	40	45	50	
	Масса груза (t)	a4	10	7.3	5.61	4.49	3.7	3.12	2.66	2.3
		a2	5			4.59	3.8	3.22	2.76	2.4

Стрела 45m	Вылет (m)	3~15.61	20	25	30	35	40	45	
	Масса груза (t)	a4	10	7.51	5.77	4.63	3.82	3.22	2.75
		a2	5			4.73	3.92	3.32	2.85

Стрела 40m	Вылет (m)	3~15.91	20	25	30	35	40	
	Масса груза (t)	a4	10	7.68	5.9	4.74	3.91	3.3
		a2	5			4.84	4.01	3.4

Стрела 35m	Вылет (m)	3~16.49	25	30	35	
	Масса груза (t)	a4	10	6.17	4.96	4.1
		a2	5			4.2

Стрела 30m	Вылет (m)	3~16.61	25	30	
	Масса груза (t)	a4	10	6.22	5
		a2	5		
























■ ПРОТИВОВЕС

Вылет	Контрстрела	Кол-во 2.77t	Кол-во 2.1t	Кол-во 1.35t	Сумма (t)
60m	13.8m	5	2	1	19.4
55m		5	2	0	18.05
50m		5	1	1	17.3
45m		5	1	0	15.95
40m		5	0	1	15.2
35m		5	0	0	13.85
30m		3	1	1	11.76

■ МЕХАНИЗМЫ

	Запасовка	Скорость (m/min)	Нагрузка (t)	Барабан	Мощность (kW)
Подъём	a=2	0~90	2.5	500m	45
		0~45	5		
	a=4	0~45	5		
		0~22.5	10		
Тележка	0~60 m/min				5.5
Поворот (RCV95)	0~0.6 r/min				2x5.5
Перемещение	0~24m/min				2x5.2
Электропитание	380V/50Hz	Общая мощность (без учёта телескопирования)			61.6kW

■ ТРАНСПОРТИРОВКА

Name	External Dimensions	L (m)	B (m)	H (m)	(t)	Qty	Name	External Dimensions	L (m)	B (m)	H (m)	(t)	Qty
Контрстрела		7.2	1.5	0.6	1.3	1	Концевая секция стрелы		0.5	1.3	1.1	0.1	1
Корневая секция стрелы		11.9	1.26	2.2	4.9	1	Тележка		2.0	1.9	1.5	0.3	1
Стрела 2		5.4	1.1	1.9	1.4	1	Крюк		1.1	0.4	1.6	0.3	1
Стрела 3		10.3	1.1	1.9	2.0	1	Механизм подъёма		1.2	1.55	1.0	1.6	1
Стрела 4		11.3	1.1	1.6	1.4	1	Механизм передвижения тележки		1.4	0.55	0.65	0.25	1
Стрела 5		5.3	1.1	1.6	0.6	1	Кабинная секция башни		2.0	1.2	2.2	0.8	1
Стрела 6		5.2	1.1	1.6	0.5	1	Поворотная платформа		2.3	2.3	2.6	4.8	1
Стрела 7		5.2	1.1	1.6	0.4	1	Кабина и электрический шкаф управления		3.5	2.3	2.3	1.6	1
Стрела 8		5.2	1.1	1.6	0.3	1	Телескопическая клеть		7.3	2.6	2.6	4.7	1
Стрела 9		5.2	1.1	1.6	0.3	1	Секция башни L46A1		3.3	2.1	0.6	1.5	17
Стрела 10		5.1	1.1	1.5	0.2	1	Опорная секция башни		7.8	2.1	2.1	4.4	1
							Крепёжные уголки		0.6	0.6	1.2	0.3	4