


CYBERSECURITY FOR NETWORKED SUBSTATION AUTOMATION

IEC 61850 Europe by Stephan Hutterer


sprecher
automation

REAL THREATS?



INDUSTROYER

CRASH OVERRIDE





HOW TO PROTECT?



CURRENT SOLUTIONS

IEC 62443

IEC 62351

IEEE 1686

**BDEW Security
Whitepaper**

ISO 27019

ENISA Guidelines

BSI Grundschutz



COMMON BUILDING BLOCKS




Hardened System



Encryption



Network
Segmentation



Network Management



Authentication



Security Monitoring



Role-based
Access Control
(RADIUS)




Patchmanagement



EXAMPLE: NETWORK SECURITY FOR IEC 61850 SUBSTATIONS

IEC 62351
IEC 62443


...




EXAMPLE: RBAC AND SECURITY MONITORING

IEC 62351
IEC 62443

...



CONCLUSION



Secure IEC 61850 Substations



THANK YOU FOR YOUR ATTENTION !

Any liability regarding the correctness and completeness of any information and/or specifications in the presentation is excluded. All rights are reserved to alter specifications, make modifications, or terminate models without prior notice. The specifications of a model may vary from country to country.

© 2017 Sprecher Automation
Created by: Stephan Hutterer
2017-09_Security_IEC61850_Hutterer.pptx
www.sprecher-automation.com

