

VENICUT F XTREM CUT - VEN



KNITTED XTREM CUT GLOVE - GRITTY NITRILE FOAM COATED PALM - GAUGE 13

Ref. VECUTF01



Product specifications

Xtrem CUT high performance fibre. Gritty foam nitrile coating on palm and fingertips. Gauge 13.

Support: Xtrem CUT fibres.

Coating: nitrile foam.

COLOUR

Grey-Black

SIZE

06, 07, 08, 09, 10, 11

Product Use - Risks



CUTTING



Wearing



PERFORATION



Heavy industry



Mining



Construction / Civil engineering



Second work / craftman

Product's highlights & user's benefits

Fibre Xtrem CUT

The highest level of cut protection on the market
Comfort and flexibility for heavy work



Cut level F

Certifications and Standards



REGULATION (EU) 2016/425

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

EN388:2016 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

X: Resistance to cutting (from 1 to 5)

4: Resistance to tear (from 1 to 4)

3: Resistance to puncture (1 to 4)

F: Resistance to cutting by sharp objects (TDM EN ISO 13997) (from A to F)



USA STANDARDS



ANSI-ISEA 105:2016 Hand protection

A6: Resistance to cutting by sharp objects (from A1 to A9)

References

References	Bar code	COLOUR	SIZE		
VECUTF01NO06	3295249235826	Grey-Black	06	60	12
VECUTF01NO07	3295249235833	Grey-Black	07	60	12
VECUTF01NO08	3295249235840	Grey-Black	08	60	12
VECUTF01NO09	3295249235857	Grey-Black	09	60	12
VECUTF01NO10	3295249235864	Grey-Black	10	60	12
VECUTF01NO11	3295249235871	Grey-Black	11	60	12