


# Подшипники шариковые самоустанавливающиеся



Аналог ГОСТ	d мм	d1 мм	D мм	B мм	Вес кг	Схема
1005	-	5	19	6	0,009	
1006	-	6	19	6	0,009	
1007	-	7	22	7	0,014	
1008	-	8	22	7	0,014	
1009	-	9	26	8	0,022	
1200	-	10	30	9	0,034	
1201	-	12	32	10	0,040	
1202	-	15	35	11	0,049	
1203	-	17	40	12	0,073	
1204	111204	20	47	14	0,120	
1205	111205	25	52	15	0,141	
1206	111206	30	62	16	0,220	
1207	111207	35	72	17	0,323	
1208	111208	40	80	18	0,417	
1209	111209	45	85	19	0,465	
1210	111210	50	90	20	0,525	
1211	111211	55	100	21	0,705	
1212	111212	60	110	22	0,90	
1213	111213	65	120	23	1,15	
1214	111214	70	125	24	1,26	
1215	111215	75	130	25	1,36	

1216	111216	80	140	26	1,67
1217	111217	85	150	28	2,07
1218	111218	90	160	30	2,52
1219**	111219	95	170	32	3,10
1220	111220	100	180	34	3,70
1221**	111221	105	190	36	4,37
1222	111222	110	200	38	5,15
1224	-	120	215	42	6,75
1226	-	130	230	46	8,3
1228	-	140	250	50	10,9
1230	-	150	270	54	13,8
1500	-	10	30	14	-
1501	-	12	32	14	-
1502	-	15	35	14	-
1503	-	17	40	16	-
1504	111504	20	47	18	0,136
1505	111505	25	52	18	0,158
1506	111506	30	62	20	0,396
1507	111507	35	72	23	0,254
1508	111508	40	80	23	0,494
1509	111509	45	85	23	0,533
1510	111510	50	90	23	0,577
1511	111511	55	100	25	0,792
1512	111512	60	110	28	1,07
1513	111513	65	120	31	1,43
1514	111514	70	125	31	1,49
1515	111515	75	130	31	1,58
1516	111516	80	140	33	1,97
1517	111517	85	150	36	2,46
1518	111518	90	160	40	3,33
1519*	-	95	170	43	-
1520	111520	100	180	46	4,87



1521*	-	105	190	50	-
1522	111522	110	200	53	6,94
1524	111524	120	215	58	-
1526	111526	130	230	64	-
1528	111528	140	250	68	-
1530	111530	150	270	73	-

