


#UP1018

Thong bodysuit

This thong bodysuit is a perfect combination of fashion and function. Featuring a sleeveless design, and an elegant high neck, it is also secured with a snap closure at the crotch for convenience. A must with high waist jeans!

1 cm seam allowance included!



Material

- 100 x 150 cm of 70-80% stretch jersey with spandex
- All-purpose thread
- Stretch needle
- Stretch twin needle
- Stay tape (width 1 cm)
- 1.6 m clear elastic (width 1 cm)
- 2x snaps, riveting or sew-on (width 0.8 cm)

Print & Assemble

- First, be sure to use ACROBAT READER to open your PDF sewing patterns. It's free!
- Then, open your file and click on the LAYERS icon (left side of the screen) and uncheck all the sizes you won't need.
- Now, click on the PRINT icon at the top of the screen. The print settings will appear, so verify that the ACTUAL SIZE option is checked. Click on the PRINT button!
- A 5 x 5 cm (and 2 x 2") control square is provided to ensure that your pattern is true to size.
- To ASSEMBLE, cut the sheets at the bottom and right margins, as indicated. Each sheet is labelled with a letter and a number (A1, B2...), so tape them together in numerical and alphabetical order. The sheets on one row should have the same letter, and the ones on the same column should have the same number.

Sizing Guide

	XXS	XS	S	M	L	XL	XXL
Bust	85 cm	89 cm	93 cm	99 cm	105 cm	113 cm	121 cm
Waist	64 cm	68 cm	72 cm	78 cm	84 cm	92 cm	100 cm
Hips	92 cm	96 cm	100 cm	106 cm	112 cm	120 cm	128 cm

This pattern is drafted according to a standard height of **1.64 m**.

Garment measurements

- **Length** (shoulder to crotch): approx. 147 cm

#UP1018

Thong bodysuit

Pattern Pieces

- Front, 1x fabric
- Back, 1x fabric
- Collar, 1x fabric
- Elastic #1, 2x clear elastic
- Elastic #2, 1x clear elastic

Sewing Assembly

Unless otherwise specified, sew using a **1 cm** wide seam allowance.

1. Sew the shoulders.
2. Cut elastic #2 in two and gather the collar with the elastics between the markings.
3. Make the neckband.
4. Attach the neckband to the neckline. The band needs to be stretched to fit.
5. Sew the front and back at the side seams.
6. Add stay tape at the crotch opening edges (wrong side of fabric).
7. Apply a clear elastic on each leg opening (wrong side of fabric). The elastics also need to be stretched to fit.
8. Hem the leg openings and armholes with the twin needle (turn once 1 cm).
9. Hem the crotch openings with the single needle (turn once 1 cm).
10. Add the snaps on the crotch openings, so that the front wraps over the back.



Share a photo of you
wearing proudly
your new bodysuit
with

#unfetteredpatterns!



21


Cut on this line

Cut on this line



unfetteredpa

Cut on this line



unfetteredpatterns.wordpress.com
Model #UP1018
Sizes XXS-XXL

Elastic length #2
Cut x1 clear elastic
(1 cm wide)

Cut on this line

unfettered
— unfettered patterns —

unfetteredpatterns.wordpress.com

Model **#UP1018**

Sizes **XXS-XXL**

Collar

Cut x1 fabric

Grainline

2 x 2"

5 x 5 cm

Cut on this line



unfetteredpatterns.wordpress.com

Model **#UP1018**

Sizes **XXS-XXL**

Back

Cut x1 fabric

SIZE KEY

XXL

XL

L

M

S

XS

XXS


Grainline

h #1

elastic (1 cm wide)


Cut on this line

Cut on this line



Cut on this line

Cut on this line



SIZE KEY

XXL

XL

L


M

S

XS

XXS

Cut on this line




Hem

Cut on this line

Cut on this line

C2

Cut on this line



unfettered
— unfettered patterns —

unfetteredpatterns.wordpress.com

Model **#UP1018**

Sizes **XXS-XXL**


Front

Cut x1 fabric

Grainline



Cut on this line



© 11

© 13

Hem
allowance
1 cm

