

# FROM THE FOUNDER OF THE #VIKISEWS BRAND

---




Back in 2016, when I was working on my first set of sewing instructions, I was trying to write them in such a way that even a complete beginner could easily understand and use them to create their very first garment. These instructions laid the foundation for the Vikisews brand, its vision and its mission. I wanted to create modern patterns with the utmost detailed and clear instructions.

Now, with each new collection we are constantly improving our instructions, amending them and adding more relevant details. By the time the final product reaches you, our drafters, correctors, and editors would have spent weeks perfecting every word and every photograph. If you compile a few of our instructions together, you will get a sewing manual that will assist you in sewing all kinds of garments at any difficulty level.

And I would be very happy if these instructions helped you to turn your hobby into a lifelong passion... Enjoy the process! Create your ultimate dream wardrobe! Wear your garments proudly for years to come!

If you have any questions, please contact us at [info@vikisews.com](mailto:info@vikisews.com) — we are always there to help.



## TEDDY PATTERN DESCRIPTION

---

Teddy is a fully lined wrap blanket featuring a hood with decorative ears, a crotch gusset, as well as foot coverings that are made of separate top and sole pieces. Teddy has a wrap front with a Velcro fastening.



## IMPORTANT!

---

The contents of this pattern are copyright protected and belong exclusively to Vikisews. You may use Vikisews patterns for personal use. It is prohibited to share Vikisews patterns and instructions with third parties, as well as to publish patterns and instructions online for public access. **Non-compliance with the mentioned rules is a violation of the US copyright law and may result in civil liability and criminal prosecution.**

You may use Vikisews patterns for commercial use, to sew custom-made garments and/or create fashion collections, on the condition that the patterns are solely used in a manufacturing setting and are not further shared with individuals.

# TOTAL EASE ALLOWANCE

---

	Chest ease (estimated)	Waistline ease (estimated)	Hipline ease (estimated)
cm	21	19.5–21.6	17.1–17.7
inches	8 1/4	7 5/8–8 1/2	6 3/4–7

# GARMENT LENGTH

---

Height, cm	Center back length to bottom, cm	Height, in	Center back length to bottom, in
50–56	67.4	19.75–22	26 1/2
62–68	78.3	24.5–26.75	30 7/8
74–80	89.2	29.25–31.5	35 1/8

# SUGGESTED FABRIC

---

To sew this garment, choose fabrics with the following properties:

- medium-weight, soft, non- or low-stretch
- the fiber content can include natural fibers (wool, cotton, linen), artificial fibers (viscose), blends (wool + cotton, cotton + viscose, etc.), and synthetics (polyester)
- the following fabrics are recommended: faux fur, velour.

For the lining, choose lining fabrics made of natural fibers such as jersey knits.

For insulation, we recommend alpolux or polyester batting with a 50–100 g/m<sup>2</sup> weight.

The wrap blanket in the photo is made of faux fur. The fabric is medium-weight, pliable, and soft. The fiber content is 100% polyester. The fabric weight is 255 g/m<sup>2</sup>. The pile height is 5 mm (just under 1/4").

The lining is 100% cotton and has a 140 g/m<sup>2</sup> weight.

The insulation is 100% polyester batting and has a 100 g/m<sup>2</sup> weight.

# PATTERN PIECES LIST

---

## 1. From main fabric:

- back — cut 1 on fold
- front — cut 1 on fold
- hood — cut 1 on fold
- gusset — cut 1
- foot top — cut 2
- sole — cut 2
- decorative ear — cut 4.

## 2. From lining fabric:

- back — cut 1 on fold
- front — cut 1 on fold
- hood — cut 1 on fold
- gusset — cut 1
- foot top — cut 2
- sole — cut 2.

## 3. From insulation:

- back — cut 1 on fold
- front — cut 1 on fold
- hood — cut 1 on fold
- gusset — cut 1
- foot top — cut 2
- sole — cut 2
- decorative ear — cut 2.

## 4. From interfacing:

- back — cut 1 on fold
- front — cut 1 on fold
- hood — cut 1 on fold
- gusset — cut 1
- foot top — cut 2
- sole — cut 2
- decorative ear — cut 4.

***IMPORTANT!** Don't forget to transfer all pattern markings and notches onto the fabric.*

**Attention!** If desired, you can sew buttonholes on the back piece to secure the wrap blanket to a car seat. To do this, additionally cut from interfacing:

- two strips that are 3 cm (1 1/8") wide and 7 cm (2 3/4") long for interfacing the buttonhole area on the back piece.


The strips should be cut on the straight grain (the grainline runs along the longer side of the strip and is parallel to the selvedge).

# SEAM ALLOWANCES

---

All pattern pieces include 1 cm (3/8") seam allowances.

Take this into account when laying out pattern pieces on the fabric.



Machine-baste at 8 mm (just under 3/8") from the edge, backstitching at the beginning and end of each seam.

Press the seams flat.



Place the hood pieced with the decorative ears right sides together with the back piece, align the upper edges, match the notches, and then secure the pieces with either pins or fabric clips.



Stitch on the sewing machine, backstitching at the beginning and end of the seam. Start and end the stitching 1 cm (3/8") away from the bottom edge of the hood.

Press the seam flat.

Notch along the curved sections of the seam allowances, stopping 2 mm short of the stitching line.