

FROM THE FOUNDER OF THE #VIKISEWS BRAND




Back in 2016, when I was working on my first set of sewing instructions, I was trying to write them in such a way that even a complete beginner could easily understand and use them to create their very first garment. These instructions laid the foundation for the Vikisews brand, its vision and its mission. I wanted to create modern patterns with the utmost detailed and clear instructions.

Now, with each new collection we are constantly improving our instructions, amending them and adding more relevant details. By the time the final product reaches you, our drafters, correctors, and editors would have spent weeks perfecting every word and every photograph. If you compile a few of our instructions together, you will get a sewing manual that will assist you in sewing all kinds of garments at any difficulty level.


And I would be very happy if these instructions helped you to turn your hobby into a lifelong passion... Enjoy the process! Create your ultimate dream wardrobe! Wear your garments proudly for years to come!

If you have any questions, please contact us at info@vikisews.com — we are always there to help.



JADE PATTERN DESCRIPTION

Jade is a pair of straight-cut, semi-fitted pants. The pants feature a grown-on elasticated waistband and cuffs decorated with piping. The upper edge of the waistband sits at the natural waistline. Jade is below-ankle length.



IMPORTANT!

The contents of this pattern are copyright protected and belong exclusively to Vikisews. You may use Vikisews patterns for personal use. It is prohibited to share Vikisews patterns and instructions with third parties, as well as to publish patterns and instructions online for public access. **Non-compliance with the mentioned rules is a violation of the US copyright law and may result in civil liability and criminal prosecution.**

You may use Vikisews patterns for commercial use, to sew custom-made garments and/or create fashion collections, on the condition that the patterns are solely used in a manufacturing setting and are not further shared with individuals.

TOTAL EASE ALLOWANCE

	Waistline ease	Hipline ease
cm	29–30	6.1–6.4
inches	11 3/8–11 3/4	2 3/8–2 1/2

GARMENT LENGTH, HEM WIDTH

Height, cm	Side seam length including cuff, cm	Finished hem width, cm
1 (154–160)	97.7–100.4	22.6–30.7
2 (162–168)	101.7–104.2	22.6–29.8
3 (170–176)	105.7–108.4	23.5–30.7
4 (178–184)	109.4–112.4	22.6–30.7

Height, ft	Side seam length including cuff, in	Finished hem width, in
1 (5'1"–5'3")	38 1/2–39 1/2	8 7/8–12 1/8
2 (5'4"–5'6")	40–41	8 7/8–11 3/4
3 (5'7"–5'9")	41 5/8–42 5/8	9 1/4–12 1/8
4 (5'10"–6'1")	43 1/8–44 1/4	8 7/8–12 1/8


SUGGESTED FABRIC

To sew these pants, choose dress-weight fabrics with the following properties:

- medium weight, soft, non-stretch, opaque
- the fiber content can include natural fibers (silk), artificial fibers (viscose), blends (silk + polyester, silk + viscose, etc.), and synthetics (polyester)
- the following fabrics are recommended: artificial silk, natural silk, satin, modal.

Attention! We do not recommend heavyweight structured fabrics and lightweight sheer fabrics.

The pants in the photo are made of artificial silk. The fabric is soft, with some bounce, non-structured, and double-sided. The fiber content is 100% polyester. The fabric weight is 190 g/m².



Press the seam flat.



Press the seam allowances open.



Press the seam allowances towards the front leg.